

ART 315 MK4

PASSIVE TWO-WAY SPEAKER

DESCRIPTION

Passive speakers for live sound reinforcement and stage monitoring as well as distributed sound systems for clubs, music venues and corporate events. ART 315 MK4 is the ideal speaker when an exceptional full range, outstanding bass reproduction, and accurate high frequency delivery are required.



FEATURES

- 129 dB Max SPL
- 300 W AES power handling
- Dual Speakon IN/OUT
- 15" woofer, high power 2.5" voice coil
- 1" HF driver, mylar dome, 1.5" voice coil
- 680x405x345 mm 26.77x15.94x13.58 in (HxWxD)
- Finely tuned crossover
- high power handling low impedance crossover design

TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response (-10dB):	50 Hz ÷ 20000 Hz
	Max SPL @ 1m:	128 dB
	Horizontal coverage angle:	90°
	Vertical coverage angle:	60°
Power section	Nominal Impedance (ohm):	8 ohm
	Power Handling:	300 W RMS
	Peak Power Handling:	1200 W PEAK
	Recommended Amplifier:	600 W
	Crossover Frequencies:	1800 Hz
Transducers	Compression Driver:	1 x 1.0", 1.5" v.c
	Nominal Impedance (ohm):	8 ohm
	Input Power Rating:	25 W AES, 50 W PEAK
	Sensitivity:	109 dB, 1W @ 1m
	Woofers:	15", 2.5" v.c
	Nominal Impedance (ohm):	8 ohm
	Input Power Rating:	300 W AES, 600 W PEAK
	Sensitivity:	100 dB, 1W @ 1m
Input/Output section	Input connectors:	Speakon
Standard compliance	CE marking:	Yes
Physical specifications	Cabinet/Case Material:	PP Composite
	Hardware:	4 x M10 Flying p.
	Handles:	2 side, 1 Top
	Pole mount/Cap:	Yes
	Color:	Black
Size	Height:	680 mm / 26.77 inches
	Width:	405 mm / 15.94 inches
	Depth:	345 mm / 13.58 inches
	Weight:	17 kg / 37.48 lbs
Shipping informations	Package Height:	740 mm / 29.13 inches
	Package Width:	461 mm / 18.15 inches
	Package Depth:	401 mm / 15.79 inches
	Package Weight:	19.4 kg / 42.77 lbs











PART NUMBER

- **13000587**


ART 315 MK4

EAN 8024530016999







Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars



Horizontal 1/3 Octave Polars



Horizontal 1/3 Octave Polars



Horizontal One Octave Polars

